

List of Figures

Figure 3.1 Body proportion of the Mouflon (left) and the Suffolk sheep (right) after Hammond (1932: figures 2 & 8). Body proportions are scaled to height at the withers. Note the difference in depth of the body and relative leg length. (Illustration by D. Bashford).

Figure 3.2 Outlines of sheep carcasses raised on different nutritional regimes and slaughtered at the same carcass weight, high-high (HH), high-low (HL), low-high (LH) and low-low (LL), after Verges (1939), taken from Hammond (1952). Note the more robust proportions of the high-high animal compared to the low-low animal. (Illustration by D. Bashford).

Figure 4.1 Map of the North Atlantic region with study areas marked and lines of latitude for reference. (Illustration by D. Bashford).

Figure 4.2 Map showing the location of the Western Isles and places mentioned in the text. (Illustration by D. Bashford).

Figure 4.3 Machair landscape on Vatersay, Western Isles. (Photo M. Cussans).

Figure 4.4 Map of Orkney (Northern Isles) showing location and places mentioned in the text. (Illustration by D. Bashford).

Figure 4.5 Map of Shetland (Northern Isles) showing location and places mentioned in the text. (Illustration by D. Bashford).

Figure 4.6 Map of the Faroe Islands showing their location and places mentioned in the text. (Illustration by D. Bashford).

Figure 4.7 Map of Iceland showing location and places mentioned in text. (Illustration by D. Bashford).

Figure 4.8 The Eastern Settlement of Norse Greenland, showing location and places mentioned in text. Disko Bay is marked in the inset. (Illustration by D. Bashford).

Figure 4.9 The Western Settlement of Norse Greenland, showing location and places mentioned in text. (Illustration by D. Bashford).

Figure 5.1 Map of the Western Isles showing sites included in this study. (Illustration by D. Bashford).

Figure 5.2 Map of Orkney showing sites included in this study. (Illustration by D. Bashford).

Figure 5.3 Map of Shetland showing sites included in this study. (Illustration by D. Bashford).

Figure 5.4 Map of the Faroe Islands showing the location of Undir Junkarinsfløtti. (Illustration by D. Bashford).

Figure 5.5 Map of Iceland showing sites included in this study. (Illustration by D. Bashford).

Figure 5.6 Map of the Western Settlement in Norse Greenland showing sites included in this study. (Illustration by D. Bashford).

Figure 5.7 Map of the Eastern Settlement in Norse Greenland showing sites included in this study. (Illustration by D. Bashford).

Figure 6.1 Mean sheep astragalus length in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.2 Mean sheep astragalus length in millimetres plotted against latitude for sites dating to the Norse period, with the site of Gásir removed. Data points are labelled according to settlement region.

Figure 6.3 Mean sheep astragalus breadth in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.4 Mean sheep astragalus breadth in millimetres plotted against latitude for sites dating to the Norse period, with the site of Gásir removed. Data points are labelled according to settlement region.

Figure 6.5 Mean sheep metacarpal length in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.6 Mean sheep metacarpal shaft breadth in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.7 Mean sheep tibia distal breadth in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.8 Mean sheep radius proximal breadth in millimetres plotted against latitude for sites dating to the Norse period. Data points are labelled according to settlement region.

Figure 6.9 Box and whisker plot of sheep tibia distal breadth in millimetres plotted against latitude for sites dating to the Norse period.

Figure 6.10 Box and whisker plot of sheep radius proximal breadth in millimetres plotted against latitude for sites dating to the Norse period.

Figure 6.11 Bar chart showing location of sites in the Greenland Norse settlements with lowest and highest mean values for a series of sheep bone dimensions.

Figure 6.12 Bar chart showing location of sites in the Greenland Norse settlements with lowest and highest mean values for a series of cattle bone dimensions.

Figure 6.13 Histogram of greatest lateral length of the astragalus for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.14 Histogram of greatest length of the metacarpal for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.15 Histogram of shaft breadth of the metacarpal for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.16 Scatterplot of greatest length versus shaft breadth of the metacarpal for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.17 Histogram of proximal breadth of the radius for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.18 Histogram of the breadth of the trochlea of the humerus for sheep from Dun Vulan, Cnip, Sollas and the Udal, Western Isles.

Figure 6.19 Log-ratio values of sheep bones from Dun Vulan and Cnip, Western Isles. Red arrows indicate mean values.

Figure 6.20 Histogram of greatest length of the metacarpal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.21 Histogram of shaft breadth of the metacarpal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.22 Histogram of greatest length of the metatarsal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.23 Histogram of shaft breadth of the metatarsal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.24 Histogram of greatest length of the radius for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.25 Histogram of proximal breadth of the radius for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.26 Histogram of distal breadth of the tibia for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.27 Scatterplot of greatest length versus shaft breadth of the metatarsal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.28 Scatterplot of greatest length versus proximal breadth of the radius for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.29 Scatterplot of greatest length versus shaft breadth of the metacarpal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.30 Scatterplot of greatest length versus robustness index of the metacarpal for sheep from Hofstaðir and Sveigakot, Iceland.

Figure 6.31 Log ratio values for sheep/goat bones from the Western Settlement. Mean values V35 = 0, V48 = 0.03, V51 = 0.01.

Figure 6.32 Log ratio values for cattle bones from the Western Settlement. Mean values V51 = -0.03, V48 = -0.04, V53c = -0.04, V53d = -0.01, V54 = -0.01.

Figure 6.33 Histogram of greatest length of the astragalus for sheep from Sollas, Western Isles.

Figure 6.34 Histogram of distal breadth of the astragalus for sheep from Sollas, Western Isles.

Figure 6.35 Histogram of greatest length of the metacarpal for sheep from Sollas, Western Isles.

Figure 6.36 Histogram of shaft breadth of the metacarpal for sheep from Sollas, Western Isles.

Figure 6.37 Scatterplot of greatest length versus shaft breadth of the metacarpal for sheep from Sollas, Western Isles.

Figure 6.38 Histogram of greatest length of the metatarsal for sheep from Sollas, Western Isles.

Figure 6.39 Histogram of shaft breadth of the metatarsal for sheep from Sollas, Western Isles.

Figure 6.40 Scatterplot of greatest length versus shaft breadth of the metatarsal for sheep from Sollas, Western Isles.

Figure 6.41 Histogram of distal breadth of the tibia for sheep from Sollas, Western Isles.

Figure 6.42 Histogram of breadth of the trochlea of the humerus for sheep from Sollas, Western Isles.

Figure 6.43 Histogram of greatest length of the astragalus for sheep from Dun Vulcan, Western Isles.

Figure 6.44 Histogram of distal breadth of the tibia for sheep from Dun Vulcan, Western Isles.

Figure 6.45 Histogram of breadth of the trochlea of the humerus for sheep from Dun Vulcan, Western Isles.

Figure 6.46 Histogram of proximal breadth of the radius for sheep from Dun Vulcan, Western Isles.

Figure 6.47 Histogram of greatest length of the astragalus for sheep from Udal, Western Isles.

Figure 6.48 Histogram of distal breadth of the astragalus for sheep from Udal, Western Isles.

Figure 6.49 Histogram of greatest length of the phalanx 1 for sheep from Udal, Western Isles.

Figure 6.50 Histogram of proximal breadth of the phalanx 1 for sheep from Udal, Western Isles.

Figure 6.51 Histogram of proximal breadth of the radius for sheep from Udal, Western Isles.

Figure 6.52 Histogram of greatest length of the metacarpal for sheep from Udal, Western Isles.

Figure 6.53 Histogram of shaft breadth of the metacarpal for sheep from Udal, Western Isles.

Figure 6.54 Scatterplot of greatest length versus shaft breadth of the metacarpal for sheep from Udal, Western Isles.

Figure 6.55 Histogram of greatest length of the metatarsal for sheep from Udal, Western Isles.

Figure 6.56 Histogram of shaft breadth of the metatarsal for sheep from Udal, Western Isles.

Figure 6.57 Scatterplot of greatest length versus shaft breadth of the metatarsal for sheep from Udal, Western Isles.

Figure 6.58 Histogram of greatest length of the astragalus for sheep from Howe, Orkney.

Figure 6.59 Histogram of distal breadth of the astragalus for sheep from Howe, Orkney.

Figure 6.60 Scatterplot of greatest length versus distal breadth of the astragalus for sheep from Howe, Orkney.

Figure 6.61 Histogram of distal breadth of the tibia for sheep from Howe, Orkney.

Figure 6.62 Histogram of greatest length of the phalanx 1 for sheep from Howe, Orkney.

Figure 6.63 Histogram of proximal breadth of the phalanx 1 for sheep from Howe, Orkney.

Figure 6.64 Scatterplot of greatest length versus proximal breadth of the phalanx 1 for sheep from Howe, Orkney.

Figure 6.65 Histogram of breadth of the trochlea of the humerus for sheep from Howe, Orkney.

Figure 6.66 Histogram of greatest length of the radius for sheep from Howe, Orkney.

Figure 6.67 Histogram of proximal breadth of the radius for sheep from Howe, Orkney.

Figure 6.68 Histogram of shaft breadth of the metacarpal for sheep from Howe, Orkney.

Figure 6.69 Histogram of shaft breadth of the metatarsal for sheep from Howe, Orkney.

Figure 6.70 Histogram of distal breadth of the tibia for sheep from Old Scatness, Shetland.

Figure 6.71 Histogram of greatest length of the astragalus for sheep from Old Scatness, Shetland.

Figure 6.72 Histogram of distal breadth of the astragalus for sheep from Old Scatness, Shetland.

Figure 6.73 Scatterplot of greatest length versus distal breadth of the astragalus for sheep from Old Scatness, Shetland.

Figure 6.74 Histogram of greatest length of the phalanx 1 for sheep from Old Scatness, Shetland.

Figure 6.75 Histogram of distal breadth of the phalanx 1 for sheep from Old Scatness, Shetland.

Figure 6.76 Histogram of proximal breadth of the radius for sheep from Old Scatness, Shetland.

Figure 6.77 Histogram of breadth of the trochlea of the humerus for sheep from Old Scatness, Shetland.

Figure 6.78 Line graph showing mean sheep and goat astragalus dimensions from GUS, Western Settlement, Greenland.

Figure 6.79 Log-ratio values for sheep bone length dimensions from GUS, Western Settlement, Greenland. Mean values are marked with arrows.

Figure 6.80 Log-ratio values for sheep bone breadth dimensions from GUS, Western Settlement, Greenland. Mean values are marked with arrows.

Figure 6.81 Scatterplot of sheep astragalus greatest length versus distal breadth for GUS, Western Settlement, Greenland.

Figure 6.82 Scatterplot of goat astragalus greatest length versus distal breadth for GUS, Western Settlement, Greenland.

Figure 6.83 Boxplot of sheep tibia distal breadth for Ø34, Eastern Settlement, Greenland.

Figure 6.84 Log-ratio values for sheep/goat bones from Gásir and Möðruvellir, Iceland.

Figure 6.85 Log-ratio values for sheep metapodials from Gásir and Möðruvellir, Iceland.